



**IS**EO **Zero1**  
E N G L I S H  
ELECTRONIC  
SOLUTIONS

## **T**op Exit dgt ELECTROMECHANICAL LOCK

Motorized opening and closing system for metal frames. Panic function according to EN 1125 in conjunction with Palmo panic exit device.

Door status control for security supervision. Lock-bus interface for integration with ISEO access control systems. It can be connected to alarm systems.



## **P**ush Sirena PANIC EXIT DEVICE WITH ACOUSTIC ALARM

The ideal solution for shops, small and medium warehouses. Compatible with ISEO panic exit devices of the Push series. Strong acoustic alarm (90 dB) when the bar is pressed. Powered by long life batteries with "low battery" signal. "Break" function operated by the key to exit without alarm.



## **T**rim Tronic ELECTRONIC OUTSIDE UNIT

To be used in conjunction with any panic and emergency exit devices. Access control management also by remote pulse. Permanent or temporary handle enabling. Anti-vandalism device. Signalling LED.



# ISEO Zero1

## ELECTRONIC SOLUTIONS

.....

**A NEW RANGE OF ELECTRONIC PRODUCTS BY ISEO GROUP WHICH TOTALLY CHANGES THE WAY TO MANAGE SECURITY AND ACCESS CONTROL SYSTEMS.**

Thanks to their high technology features, ISEO Zero1 products may offer comfort and ease of use. They can all be integrated and allow to manage any access in any situation, offering flexibility, smart solutions and security.

.....



### ARGO App

#### THE LATEST EVOLUTION OF ACCESS CONTROL

App available for any smartphone (iOS and Android). Suitable for ISEO Zero1 devices thanks to Bluetooth Smart technology. No need of additional hardware plug-ins. Management of the opening authorizations. Handling of particular users' authorizations. Free software updates.



### Libra SMART

#### DOUBLE KNOB ELECTRONIC CYLINDER

Bluetooth module allowing to interface with smartphones and Argo App.

Stand-alone access control system with RFID Multistandard credential reader and signaling LED. It can be fit with most European profile cylinder locks.

Harmless installation and replacement, with no wiring (battery-operated). Unique and innovative design, several colours and finishes available. Modular system for a simple and rapid customized configuration Heavy Duty version (IP66, IP67, IP69).

# Aries SMART

## ELECTRONIC TRIM SET

Bluetooth module allowing to interface with smartphones and Argo App. Stand-alone access control system. It can be fit on most doors (wood, aluminum, iron).

Harmless installation even on existing doors (it requires 2 holes only). RFID Multi-standard credential reader with signaling LED. It works with batteries up to 40.000 operations. IP55 version for outdoor.



# Stylos SMART

## CREDENTIAL READER


Bluetooth module allowing to interface with smartphones and Argo App. Access control system easy to use and to install. Ideal solution for offices, small companies and residential buildings. RFID Multi-standard credential reader with numerical keyboard and graphic or LED display. Lockbus interface for direct integration with ISEO controllers and actuators. Encrypted data transmission and peripherals safe authentication. IP66 version for outdoor.



# X1R SMART

## ELECTROMECHANICAL LOCK FOR ARMoured DOORS

Bluetooth module allowing to interface with smartphones and Argo App. Electromechanical opening and closing mechanism. Smart system for access control management. It can be integrated in domotic systems. Accessories can be easily combined in doors design. Lockbus interface for integration in ISEO access control management systems.



## **F9000** with Mobile validator MECHATRONIC CYLINDER



Mechanical security and electronic flexibility in a unique product. Tailor-made MK system programming. Mobile validator for key authorizations update. Registered, patented and non-duplicable key profile for a total security. Harmless installation with no cabling. It can be fit with any European profile cylinder locks.

.....

## **Thesis 2.0** SECURITY SOLENOID LOCK



Standard, Latchbolt, Professional and Mini versions. Normally Closed (fail secure) and Normally Open (fail safe) versions. Door status control programming for security supervision. Lockbus interface for integration with ISEO access control systems. Stand alone, manual and automatic interlock configurations. Low power consumption device with power reserve (booster).

.....

## **M**ultiblindo **Motion** EXIT

**ELECTROMECHANICAL  
AUTOMATIC LOCK  
WITH PANIC FUNCTION**



Perfect combination of security and comfort. It operates with the most advanced access control systems. It can be set with three different options: Total, Light, Free. Acoustic opening and closing signals. Mechanical opening by handle with comfort function. It can be combined with a panic exit device for emergency exits.



www.iseo.com

**Iseo Serrature s.p.a.**

Via San Girolamo 13  
25055 Pisogne (BS)  
ITALY

iseo@iseo.com

## ISEO Zero1

### ITALY

Via Don Fasola 4  
I-22069 Rovellasca (CO)  
zero1-it@iseo.com  
iseozero1@iseo.com

**800-728722**

ELECTRONIC SUPPORT SERVICE

### GERMANY

**ISEO Deutschland GmbH**  
zero1-de@iseo.com

**0700-00473601**

ELECTRONIC SUPPORT SERVICE

### FRANCE

**ISEO France s.a.s.**  
zero1-fr@iseo.com  
+33 1 64835858

### SPAIN

**Cerraduras ISEO Ibérica S.L.**  
zero1-es@iseo.com

**900-126356**

ELECTRONIC SUPPORT SERVICE

### ASIA

**ISEO Asia Pacific SDN. BHD.**  
zero1-asia@iseo.com  
+603 80753331

ISEO Beijing  
zero1-cn@iseo.com  
+8610 58698079

### UNITED ARAB EMIRATES

**Iseo Projects and Access Control DMCC**  
iseoprojects@iseo.com  
+971 4 5136162

### SOUTH AFRICA

**ISEO South Africa (Pty) LTD**  
zero1-za@iseo.com

### ROMANIA

**Feronomia Prod S.A.**  
zero1-ro@iseo.com

iseozero1.com

iseozero1@iseo.com